

Welcome to the CDC Seasonal Flu website.

Skip directly to the [search box](#), [site navigation](#), or [content](#).



Centers for Disease Control and Prevention

Centers for Disease Control and Prevention

CDC en Español | Other Languages [繁體中文](#)

CDC A to Z Index

- [CDC Home](#)
- [Diseases and Conditions](#)

Seasonal Flu

Search The CDC

Search Button

Information for Health Professionals

Page Options

Text Size:

- -
- +
- [Email this page](#)
- [Printer-friendly version](#)
- [Get Email Updates](#)

Media:

- [RSS](#)

Swine Flu Info



- **Contact Us**
- 800-CDC-INFO
- (800-232-4636)
- 888-232-6348 (TTY)
- cdcinfo@cdc.gov

THE FLU GALLERY

Free Flu Materials

Materials are available free for printing.

Use a standard office color printer for letter size (8 1/2" x 11").

Seasonal and Novel H1N1 Flu: A Guide for Parents

Make another selection

What should I use for hand cleaning?
Washing hands with soap and running water (for as long as it takes to sing the "Happy Birthday" song twice) will help protect against many germs. When soap and running water are not available, wipes or gels with alcohol in them can be used (the gels should be rubbed into your hands until they are dry).*

If your child is sick

What can I do if my child gets sick?
If your child is 5 years or older and otherwise healthy and gets flu-like symptoms, including a fever and/or cough, consult your doctor as needed and make sure your child gets plenty of rest and drinks enough fluids.
If your child is younger than 5, or of any age and has a medical condition like asthma, diabetes, or a neurologic problem and develops flu-like symptoms, including a fever and/or cough, call your doctor or get medical attention. This is because younger children and children who have chronic medical conditions (like asthma or diabetes) may be at higher risk of serious complications from influenza infection, including the new H1N1. Talk to your doctor early if you are worried about your child's illness.

What if my child seems very sick?
Even children who have always been healthy before or had the flu before can get a severe case of flu.

Call or take your child to a doctor right away if your child of any age has:

- Fast breathing or trouble breathing
- Blue or gray skin color
- Not drinking enough fluids
- Severe or persistent vomiting
- Not waking up or not interacting
- Being so irritable that the child does not want to be held
- Flu-like symptoms improve but then return with fever and worse cough
- Has other conditions (like heart or lung disease, diabetes, or asthma) and develops flu-like symptoms, including a fever and/or cough.

Can my child go to school, day care or camp if he or she is sick?
No. Your child should stay home to rest and to avoid giving the flu to other children.

When can my child go back to school after having the flu?
Keep your child home from school, day care or camp for at least 24 hours after their fever is gone. (Their fever should be gone without them having taken a fever-reducing medicine.) A fever is defined as 100°F or 37.8°C.

*Though the scientific evidence is not as extensive as that on hand washing and alcohol-based sanitizers, other hand sanitizers that do not contain alcohol may be useful for killing flu germs on hands in settings where alcohol-based products are prohibited.

For more information, visit www.cdc.gov or www.flu.gov or call 1-866-CDC-INFO

Seasonal and Novel H1N1 Flu: A Guide for Parents

In Color:
8.½” x 11”

Reversed In Color:
8.½” x 11”

Make another selection

Note about materials for screen-reader devices: Text-only formats are supplied for editing purposes (modifying to fit the needs of your group) and for screen-reader devices. Should you have trouble with any of these text-only documents, please contact the web master at: http://www.cdc.gov/vaccines/about/contact/web_problem_form.htm

Images on this website which are copyrighted were used with permission of the copyright holder and are not in the public domain. CDC has licensed these images for use in the materials provided on this website, and the materials in the form presented on this website may be used without seeking further permission. Any other use of copyrighted images requires permission from the copyright holder.

If you have questions, please send your questions to nipinfo@cdc.gov.

- Page last updated September 08, 2008
- Content Source: Coordinating Center for Infectious Diseases (CCID)
- National Center for Immunization and Respiratory Diseases (NCIRD)
- Email page
- Print page
- Get Email Updates
- RSS

What You Should Know About ... Info for Health Professionals

- 2009-10 ACIP Recommendations

- [Vaccination](#)
- [Antiviral Drugs](#)
- [Infection Control](#)
- [Clinical Description & Lab Diagnosis](#)
- [Free Flu Materials](#)
- [Seasonal Influenza and Staph Infections](#)
- [2009 National Influenza Vaccination Week \(NIVW\)](#)
- [Flu Activity & Surveillance](#)
- [Training](#)
- [References & Resources](#)

Info for Specific Groups

Other Flu Websites

- [Avian Flu](#)
- [Canine Flu](#)
- [Novel H1N1](#)
- [Pandemic Flu](#)
- [Swine Flu](#)



- [Home](#)
- [Policies and Regulations](#)
- [Disclaimer](#)
- [File Formats](#)
- [e-Government](#)
- [Site Map](#)
- [Contact Us](#)

Centers for Disease Control and Prevention, 1600 Clifton Rd, Atlanta, GA 30333, U.S.A.
800–CDC–INFO (800-232-4636), 888–232–6348 (TTY), cdcinfo@cdc.gov

